



Member of the  STOCKMEIER Group



**C**oating  
**A**dhesives  
**S**ealants  
**E**lastomers





STOCKMEIER COATINGS NETWORK

**FOLLOW OUR WAY**







Products	CAS	Description
APRI-SKIN 623	623-40-5	Anti skin agent, alternative to MEKO
CHLORINATED PARAFFIN	85535-85-9	Flame retardant and secondary plasticizer
FUMED SILICA	7631-86-9	Control of rheology, anti-sedimentation of pigments, free-flow, scratch resistance, corrosion resistance
COALEXOLV IB	141-04-8 / 925-06-4 71195-64-7	Coalexing agent
SODIUM HEXAMETAPHOSPHATE	68915-31-1	Dispersant for pigments
PEG 400 M/L	61791-29-5	Plasticizer
GLYCERIN	56-81-5	Softener, solvent
TRIACETIN	102-76-1	Plasticizer
POLYGAM BG		FLOW AGENT. It's used as a blush preventive in cellulose acetate paints and as a wrinkle preventive in alkyd paints, inks and emulsion polymers
REFINED LINSEED OIL	68649-95-6	Blinder for pigments
BOILED LINSEED OIL	8001-26-1	Blinder for pigments
MAGNESUM OXIDE	1309-48-4	Fillers
ALUMINIUM OXIDE	1344-28-1	Fillers as decorative paint
CORUNDUM	1344-28-1	Filler as decorative paints. Skid resistance - resistance to slipping
SILICON CARBIDE	409-21-2	Filler as decorative paints. Skid resistance - resistance to slipping
CALCIUM FORMATE	544-17-2	Grout additive
APRINOL 104		Versatile surfactant, combined dynamic wetting and defoaming in water-based paints
APRINOL 104E		50%, versatile surfactant, combined dynamic wetting and defoaming in water-based paints
APRINOL 420		Versatile surfactant, combined dynamic wetting and defoaming in water-based paints
APRINOL 440		Versatile surfactant, combined dynamic wetting and defoaming in water-based paints
APRINOL 465		Versatile surfactant, combined dynamic wetting and defoaming in water-based paints
APRINOL 485		Versatile surfactant, dynamic wetting in water-based paints
APRINOL 2502		Versatile surfactant, combined dynamic wetting and defoaming in water-based paints
FALAMINE® PLUS		PH stabiliser, low odour
APRINOL 90		Multifunctional additive for pH control in water-based paints

APRINOL 95		Multifunctional additive for pH control in water-based paints
SILICON OIL		Various viscosities from 0.65 cSt. - 1.000.000 cSt.
LORAMA LAF® 120		Mineral oil-based defoamer for solvent-based alkyd resin
LDA® 100		Wetting and dispersing additive, stabilises inorganic pigments
LDA™ 150		Excellent viscosity reduction with inorganic pigments, especially with titanium dioxide
LDA™ 160		Wetting and dispersing additive against settling of inorganic pigments, especially suitable for highly filled formulations
LDA® 410		Wetting and dispersing agent, post additive, development of colour strength and colour acceptance

## POLYSACCHARIDE

Products	Application	Description
LORAMA LWD®100	Water-based stains	Improved workability, based on renewable raw materials
LORAMA ECØ® 100	Binder for temporary coatings	Water-soluble, powdered polysaccharide resin, 100% bio-based
LORAMA LPR 76	Long and medium oil alkyds	VOC and cost reduction, 86% bio-based
LORAMA LPR 221	Short and medium oil alkyds	VOC and cost reduction, reduced yellowing, fast drying, 100% bio-based
LORAMA INKRES®33	Flexographic inks	Partial replacement of acrylic dispersions, improved printresolution, < 88% bio-base

## PIGMENTS

Products	CAS	Description
INORGANIC IRON OXIDE		Solvent for gums, resins, paints, varnishes, lacquers, and nitrocellulose. Manufacturing paints, rubbers, dissolving resins used in paints, inks, lacquers, and other types of surface coatings
TITANIUM DIOXIDE	13463-67-7	Rutile pigment from sulphate or chloride treated. Application in solvent/water based paints, emulsion paints, industrial coating, printing inks and powder coating
PHTALOCIANINE	147-14-8	Several grade of organic pigment (blue & green 7) for printing inks, paints and coating, plastick masterbatch, textile printing and rubber

Products	CAS	Description
3-AMINOPROPYLTRIETHOXYSILANE	919-30-2	Adhesive enhancer to improve adhesion in coating, inks and adhesives
N-(2-AMINOETHYL)3-AMINOPROPYLTRIMETHOXYSILANE	1760-24-3	Improves surface finish in phenolic, melamine, epoxy and polypropylene resins. Adhesive enhancer
3-GLYCIDOXYPROPYLTRIMETHOXYSILANE	2530-83-8	Adhesive enhancer, crosslinker in composite materials
3-UREIDOPROPYLTRIETHOXYSILANE		Additive to phenolic, furan and melamine resins for foundry resins and abrasives
3-AMINOPROPYLTRIMETHOXYSILANE	13822-56-5	Adhesive enhancer, crosslinker
3-AMINOPROPYLMETHYLDIETHOXYSILANE	3179-76-8	Adhesive enhancer, crosslinker
ETMENYLTRIETHOXYSILANE	78-08-0	Adhesive for glass slides, coupling agent
TRIMETHOXYVINYL SILANE	2768-02-7	Provide superhydrophobicity to different materials like TiO <sub>2</sub> , talc, kaolin, magnesium oxide
3-METHACRYLOXYPROPYLTRIMETHOXY SILANE	2530-85-0	Used in the artificial stone industry, can improve the compatibility of various fillers
OCTYLTRIETHOXYSILANE	2943-75-1	Used to formulate waterproof products and used as a surface treatment agent for inorganic fillers or pigments
2-(TRIETHOXYSILYL)PROPYL)TETRASULFIDE	211519-85-6	Adhesive enhancer for rubber

## EPOXY RESIN

Products	CAS	Description
EPOXY RESIN LS-127	1675-54-3	
EPOXY RESIN LS-128	1675-54-3	
EPOXY RESIN WB-240	1675-54-3	
ALKYL (C12 - C14) GLYCIDYLEETHER	68609-97-2	Reactive diluent
1.4 BUTANEDIOL DIGLYCIDYL ETHER	2425-79-8	Reactive diluent
1.6 HEXANDIOL DIGLYCIDYL ETHER	16096-31-4	Reactive diluent
BISPHENOL A	80-05-7	Raw material for resins production
BENZYL ALCOHOL	100-51-6	Solvent for Epoxy



# MONOMERS

Products	CAS	Description
ACRYLIC ACID GLACIAL	79-10-7	Coatings, adhesives, inks, textile, floor polish, paints, lacquers, plastics, adhesives, dispersants, and thickeners
BUTYL ACRYLATE	141-32-2	Coatings, adhesives, inks, textile, floor polish, paints, lacquers, plastics, adhesives, dispersants, and thickeners
2 HETHYLHEXYL ACRILATE	103-11-7	Coatings, adhesives, inks, textile, floor polish, paints, lacquers, plastics, adhesives, dispersants, and thickeners
ETHYL ACRILATE	140-88-5	Coatings, adhesives, inks, textile, floor polish, paints, lacquers, plastics, adhesives, dispersants, and thickeners
HPMA	27813-02-1	Automotive coating, industrial coating, adhesives and sealants
TMPTA	15625-89-5	Manufacture of plastics, adhesives, acrylic glue, anaerobic sealants, and ink
DPGDA	57472-68-1	Reactive monomer in energy curable coatings, inks, overprint varnishes
METHYL ACRYLATE	96-33-3	Production of copolymer-coating
METHYLMETHACRYLATE	80-62-6	Production of copolymer-cement production

# GLYCOLS

Products	CAS	Description
MEG	107-21-1	Resins production
DEG	111-46-6	Resins production
MONO PROPYLEN GLYCOL	57-55-6	Wood paint, heavy duty paint, water based paint
TRI PROPYLEN GLYCOL	24800-44-0	Solvent for solvent based coatings
2-(2-BUTOXYETHOXY) ETHANOL	112-34-5	Solvent and flow promoter
2-BUTOXYETHANOL	111-76-2	Paints and surface coating solvent
TRIETHYLENE GLYCOL MONOBUTYL ETHER	143-22-6	Solvent for solvent based coatings

# AMINES

Products	CAS	Description
MEA	141-43-5	PH control agent in the formulation of packaging and printing inks
TEA	102-71-6	Curing agent for epoxy resins
DMEA	108-01-0	Curing agent for polyurethanes and epoxy resins

# CHLORINATED

Products	CAS	Description
DICHLOROMETHANE	75-09-2	Solvent
TETRACHLOROETHYLENE	127-18-4	Organic Material Solvent

# ALCOHOL

Products	CAS	Description
BUTANOL	71-36-3	Solvent
ISOBUTYL ALCOHOL	78-83-1	Evaporation retardant
DIACETONE ALCOHOL	123-42-2	Additive in the formulation of paints and to prevent the formation of bloom

# KETONES

Products	CAS	Description
ACETONE	67-64-1	Synthetic fibers solvent
MEK	78-93-3	Surface coatings, adhesives, printing inks, it is a highly efficient and versatile solvent for surface coatings.
MIBK	108-10-1	Solvent for gums, resins, paints, varnishes, lacquers, and nitrocellulose. Manufacturing paints, rubbers, dissolving resins used in paints, inks, lacquers, and other types of surface coatings
CYCLOHEXANONE	108-94-1	Nylon product

# ACETATE

Products	CAS	Description
ETHYL ACETATE	141-78-6	Additive in the formulation of paints and to prevent the formation of bloom
BUTYL ACETATE	123-86-4	Fast evaporation rate Solvent based coatings
ISOBUTYL ACETATE	110-19-0	Fast evaporation rate Solvent based coatings
BUTOXYETHYL ACETATE	112-07-2	
PLURASOLV PMA	108-65-6	Polyurethane coatings

Products	CAS	Description
PROPYLENE CARBONATE	108-32-7	Solvent
DBE DIBUTYLETHER	142-96-1	Resin solvent
NMP N-METHYL 2 PYRROLIDONE	872-50-4	Polymers solvent, paint stripper
NEP N-ETHYL 2 PYRROLIDONE	2687-91-4	Polymers solvent, paint stripper
DIMETHYL SULFOXIDE	67-68-5	Solvent for paint stripper
1,3-DIOXOLANE	648-06-0	Spray/Aerosol Coatings or paint stripper
METHYLAL	109-87-5	Spray/Aerosol Coatings or paint stripe
PLURASOLV PM	107-98-2	High solvency power, fast evaporation rate Solvent-based coatings
PLURASOLV DPM	34590-94-8	Higher flash point and lower odor Solvent-based coatings, Graffiti Remover
PLURASOLV DPNP	29911-27-1	Co-solvent to facilitate penetration
PLURASOLV PNP	1569-01-3	Low odor water soluble solvent; Paint remover
PLURASOLV TPM	25498-49-1	Water reducibile coating
PLURASOLV TPNB	55934-93-5	Low odor, No VOC, Application in indoor paints and coalescent in water-borne resins
PLURASOLV DPNB	29911-28-2	Coalescent in water-borne latex systems
PLURASOLV PNB	5131-66-8	Water based coatings
PLURASOLV PPH	212-222-7	Water reducible coating
PLURASOLV DGDM	111109-77-4	
PLURASOLV PGDA	623-84-7	Slow evaporating aprotic solvent
PLURASOLV EPH	122-99-6	
ETHYLDIGLYCOL	111-90-0	Decorative water based paints
HEXYLENE GLYCOL	107-41-5	Solvent
ETHOXYPROPANOL	1569-02-4	Solvent





**GAMMA  
CHIMICA**<sup>®</sup>

Member of the  STOCKMEIER Group







 **STOCON**  
STOCKMEIER COATINGS NETWORK









**GAMMA CHIMICA WAREHOUSE**

VIA MADONNA DEI CAMPI  
CASTELNOVETTO (PV)





Member of the  STOCKMEIER Group





Certificati dal 1993:



CERTIFIED  
MANAGEMENT SYSTEMS



UNI EN ISO 9001:2015  
UNI EN ISO 14001:2015  
UNI ISO 45001:2018



**GAMMA CHIMICA S.p.a.**  
**SEDE AMMINISTRATIVA E**  
**COMMERCIALE**

---

Via Bergamo, 8  
20045 Lainate (MI)  
t +39 02 931 7901

**GAMMA CHIMICA S.p.a.**  
**UFFICIO COMMERCIALE TREVISO**

---

Viale della Repubblica, 193/M  
31100 Treviso (TV)  
t +39 0422 470180

**GAMMA CHIMICA S.p.a.**  
**DEPOSITO**

---

Via Madonna dei Campi S.S. 596  
27030 Castelnovetto (PV)  
t +39 0384 679422

